




www.updusa.com
Tel. (866) 913-0336
So. Cal. (626) 913-0336

2010 Winter Special

Prices good 1/1/10 through 3/31/10

Tank Truck Hose (p.55)

Suction & discharge of petroleum products. Handles aromatics to 50%. 2 ply. Available in 50' or 100' lengths.
6" available in 20' and 100'.



ID	Part #	Ply	W.P.	Length	Price/ft.
1-1/2"	HTKR15	2	150	50'-100'	CALL
2"	HTKR20	2	150	50'-100'	CALL
2-1/2"	HTKR25	2	150	50'-100'	CALL
3"	HTKR30	2	150	50'-100'	CALL
4"	HTKR40	2	120	50'-100'	CALL
6"	HTKR60	2	120	20'-100'	CALL

Contractor's Hose - Import (p.68-69)

Coupled Hose

With Aluminum full flow couplings.
Please specify NST or NPSH - Import.



Size	Single Jacket (250 lb)		Double Jacket (400 lb)	
	Part #	Price/ea.	Part #	Price/ea.
1-1/2" x 50'	HFCS152CP	CALL	HFCD152CP	CALL
1-1/2" x 100'	HFCS153CP	CALL	HFCD153CP	CALL
2-1/2" x 50'	HFCS252CP	CALL	HFCD252CP	CALL
2-1/2" x 100'	HFCS253CP	CALL	HFCD253CP	CALL

Un-coupled Hose



Size	Single Jacket (250 lb)		Double Jacket (400 lb)	
	Part #	Price/ea.	Part #	Price/ea.
1-1/2" x 50'	HFCS152	CALL	HFCD152	CALL
1-1/2" x 100'	HFCS153	CALL	HFCD153	CALL
2-1/2" x 50'	HFCS252	CALL	HFCD252	CALL
2-1/2" x 100'	HFCS253	CALL	HFCD253	CALL

Air & Water Hose - PVC - Blue (p.28)


General service air and water. Tube is PVC. Cover is PVC, reinforced with synthetic cords. Ships in coils.
Only the blue color hose is available at this price.



Inside Diameter	Max O.D.	Part No.	W.P.	Weight lbs/C ft	Price/ft.
1/2"	3/4"	HATH-D050	300	0.16	CALL

Water Discharge Hose - Blue PVC (p.43)


Lay-flat water discharge service. PVC Tube. Blue PVC cover with synthetic reinforced fibers. Uncoupled. Ships in coils.
Temperature: -4° F to 112° F.



ID	O.D.	Part #	Length	W.P.	Price/ft.
1-1/2"	1.75"	HDCP15	300'	70	CALL
2"	2.21"	HDCP20	300'	65	CALL
2-1/2"	2.71"	HDCP25	300'	55	CALL
3"	3.21"	HDCP30	300'	55	CALL
4"	4.27"	HDCP40	300'	50	CALL
6"	6.32"	HDCP60	300'	35	CALL
8"	8.30"	HDCP80	100'-300'	35	CALL

Contractors Water Hose - Rubber - Black (p.26)

General water service. SBR tube. SBR cover with synthetic yarn reinforcement. Uncoupled. Ships in coils.




I.D.	Part No.	W.P.	Length	Price/ft.
1-1/4"	HSWI-B125	150	50'-200'	CALL

Over 25 years of service, quality, and value.

Brass Hydrant Reducers (p.107)

Adapters for your hose.



Part No.	Description	Price/ea.
09-130-1	1-1/2" Female NST x 3/4" Male GHT	CALL
09-130-2	2-1/2" Female NST x 3/4" Male GHT	CALL
09-130-3	2-1/2" Female NST x 3/4" Male NPT	CALL
09-130-4	2-1/2" Female NST x 1" Male NPSH	CALL
09-130-5	2-1/2" Female NST x 1" Male NPT	CALL
09-130-6	2-1/2" Female NST x 1-1/2" Male NPSH	CALL
09-130-7	2-1/2" Female NST x 1-1/2" Male NPT	CALL
09-130-8	2-1/2" Female NST x 2" Male NPSH	CALL
09-130-9	2-1/2" Female NST x 2" Male NPT	CALL
09-130-10	2-1/2" Female NST x 1-1/2" Male NST	CALL
09-130-11	3" Female NPSH x 2-1/2" Male NST	CALL
09-130-12	3" Female NST x 2-1/2" Male NST	CALL
09-149-1	4" Female NST x 2-1/2" Male NST	CALL
09-149-2	4-1/2" Female NST x 2-1/2" Male NST	CALL

Hex Nipple - Female to Male - Brass (p.107)

Adapters.



Part No.	Description	Price/ea.
14-155-11	2-1/2" Female NPSH x 2-1/2" Male NST	CALL
15-216-7	3" Female NST x 3" Male NPT	CALL

Hex Nipple - Double Male - Brass (p.108)

Adapters.



Part No.	Description	Price/ea.
14-146-7	4" Male NPT x 4" Male NPSH	CALL

Aluminum Camlocks (p.99-100)



Type A



Type B



Type C



Type D



Type E



Type F



Type DC




Type DP

Size	A	B	C	D	E	F	DC	DP
3/4"								
1"								
1-1/4"								
1-1/2"								
2"								
2-1/2"								
3"								
4"								
5"								
6"								
8"								


CALL FOR PRICE!

Steel 37° JIC Adapter (p.184-191)


JIC to pipe adapter.




2404



2501



6400



6506

2404 (p.184-185)		2404 (p.184-185)		6400 (p.189-191)	
Part No.	Price/ea	Part No.	Price/ea	Part No.	Price/ea
2404-4-4	CALL	2404-16-20	CALL	6400-4	CALL
2404-4-6	CALL	2404-20-20	CALL	6400-6-4	CALL
2404-5-4	CALL	2404-20-24	CALL	6400-8-4	CALL
2404-5-8	CALL	2404-24-20	CALL	6400-8-10	CALL
2404-6-2	CALL	2404-24-24	CALL	6400-10-8	CALL
2404-6-6	CALL				
2404-8-4	CALL				
2404-8-6	CALL	2501 (p.186-187)		6506	
2404-8-8	CALL	Part No.	Price/ea	Part No.	Price/ea
2404-10-8	CALL	2501-6-6	CALL	6506-4-4	CALL
2404-10-12	CALL	2501-6-8	CALL	6506-6-4	CALL
2404-12-8	CALL	2501-8-6	CALL	6506-6-6	CALL
2404-12-12	CALL	2501-8-8	CALL	6506-6-8	CALL
2404-16-16	CALL	2501-12-8	CALL	6506-8-6	CALL
		2501-12-12	CALL	6506-8-8	CALL

Hydraulic Hose - SAE100R1AT (p.74)

Import. Exceeds SAE 100R1 specifications. Oil resistant tube. Oil & weather resistant cover with wire braid reinforcement. Temperature: -40° F to 212° F. Ships in bales.



Inside Diameter	Max O.D.	Part No.	W.P.	Weight lbs/ft	Price/ft.
1/4"	0.56"	HYDR1025	2750	0.16	CALL
3/8"	0.71"	HYDR1038	2250	0.21	CALL
1/2"	0.85"	HYDR1050	2000	0.30	CALL
5/8"	0.97"	HYDR1060	1500	0.32	CALL
3/4"	1.13"	HYDR1075	1250	0.37	CALL
1"	1.44"	HYDR1100	1000	0.64	CALL

Hydraulic Hose - SAE100R2AT (p.75)


Import. Exceeds SAE 100R2 specifications. Oil resistant tube. Oil & weather resistant cover with wire braid reinforcement. Temperature: -40° F to 212° F. Ships in bales.



Inside Diameter	Max O.D.	Part No.	W.P.	Weight lbs/ft	Price/ft.
1/4"	0.62"	HYDR2025	5000	0.27	CALL
3/8"	0.78"	HYDR2038	4000	0.35	CALL
1/2"	0.91"	HYDR2050	3500	0.45	CALL
5/8"	1.03"	HYDR2060	2750	0.56	CALL
3/4"	1.19"	HYDR2075	2250	0.64	CALL
1"	1.53"	HYDR2100	2000	0.74	CALL
2"	2.65"	HYDR2200	1125	1.73	CALL

Hydraulic Hose - 4SH - Short Lengths (p.77)

Kelly Hose. Oil resistant tube. Oil & weather resistant cover with spiral wire reinforcement. Temperature: -40° F to 212° F. Various short lengths, minimum 15', maximum 45'. Please call for list of actual lengths.



Inside Diameter	Max O.D.	Part No.	W.P.	Weight lbs/C	Price/ft.
2"	2.62"	HYDSP4SH	5000	313	CALL

Couplings for 4SH hose (p.77)

Steel coupling.



Part No.	Description	Price/ea.
HYDSP4SH-C	2" Male steel coupling	CALL

Neoprene Sheet Rubber (p.14)

Commercial Grade Neoprene. Plate finish. Good oil and ozone resistance. Duro:60 +/- 5%. Tensile: 1000 PSI.

Skirtboard Rubber (p.15)

Black SBR, 65 Durometer, 1000 psi tensile. Elongation 350% - Max. temp. 180° F. Price per foot.




Size	4"	6"	8"	10"	12"	36"	48"
1/4"							
3/8"							
1/2"							
3/4"							
1"							


CALL FOR PRICE!

Limited quantities available. Special prices apply to current on hand stock only.

Part No.	Gauge	Width	Length/ Roll	Weight/ Roll	Price/ft
RSN1-16-36	1/16"	36"	50'	83.35	CALL
RSN1-16-48	1/16"	48"	50'	111.25	CALL
RSN1-8-36	1/8"	36"	50'	166.71	CALL
RSN1-8-48	1/8"	48"	50'	222.50	CALL
RSN3-16-36	3/16"	36"	50'	250.05	CALL
RSN3-16-48	3/16"	48"	50'	333.78	CALL
RSN1-4-36	1/4"	36"	50'	333.41	CALL
RSN1-4-48	1/4"	48"	50'	445.03	CALL
RSN3-8-36	3/8"	36"	25'	247.45	CALL
RSN3-8-48	3/8"	48"	25'	330.30	CALL
RSN1-2-36	1/2"	36"	25'	330.81	CALL
RSN1-2-48	1/2"	48"	25'	441.56	CALL
RSN3-4-36	3/4"	36"	25'	497.50	CALL
RSN3-4-48	3/4"	48"	25'	664.07	CALL
RSN10-36	1"	36"	25'	661.62	CALL
RSN10-48	1"	48"	25'	883.12	CALL



PVC Clear Tubing



Clear Tube (p.85)

Food grade, clear, non-toxic. Applications include: drinking water, liquid food and beverage transfer lines.

Part No.	I.D.	X	O.D.	WP	Length	Price/C ft
CT0305	3/16"	x	5/16"	55	100'	CALL
CT0406	1/4"	x	3/8"	45	100'	CALL
CT0408	1/4"	x	1/2"	70	100'	CALL
CT0507	5/16"	x	7/16"	45	100'	CALL
CT0608	3/8"	x	1/2"	45	100'	CALL
CT0610	3/8"	x	5/8"	55	100'	CALL
CT0810	1/2"	x	5/8"	30	100'	CALL
CT0812	1/2"	x	3/4"	50	100'	CALL
CT1014	5/8"	x	7/8"	40	100'	CALL
CT1216	3/4"	x	1"	40	100'	CALL
CT1620	1"	x	1-1/4"	35	100'	CALL
CT2028	1-1/4"	x	1-1/2"	40	100'	CALL
CT2432	1-1/2"	x	1-7/8"	35	100'	CALL
CT3240	2"	x	2-7/16"	35	100'	CALL

Clear Braid (p.85)


Food grade, clear, non-toxic. Applications include: drinking water, liquid food and beverage transfer lines.

Part No.	I.D.	X	O.D.	WP	Length	Price/3C ft
CB0406	1/4"	x	3/8"	200	300'	CALL
CB0509	5/16"	x	9/16"	200	300'	CALL
CB0610	3/8"	x	5/8"	200	300'	CALL
CB0812	1/2"	x	3/4"	200	300'	CALL
CB1014	5/8"	x	7/8"	200	300'	CALL
CB1221	3/4"	x	1-1/16"	200	300'	CALL
CB1621	1"	x	1-5/16"	200	300'	CALL

Part No.	I.D.	X	O.D.	WP	Length	Price/C ft
CB2027	1-1/4"	x	1-11/16"	100	100'	CALL
CB2430	1-1/2"	x	1-7/8"	100	100'	CALL
CB3240	2"	x	2-1/2"	75	100'	CALL


Working pressure rating is at 68° F.
Packaging: Vinyl wrapped coils.

Alum/Brass Pin Lug Sets (p.89)



Size	Part #	Thread	Price/ea.
1-1/2"	AB15	NPSH	CALL
1-1/2"	AB25NST	NST	CALL
2"	AB20	NPSH	CALL
2-1/2"	AB25	NPSH	CALL
2-1/2"	AB25NST	NST	CALL
3"	AB30	NPSH	CALL
4"	AB40	NPSH	CALL
6"	AB60	NPSH	CALL

Iron Pin Lug Sets (p.88)




Size	Part #	Thread	Price/ea.
1-1/4"	MI12	NPSH	CALL
1-1/2"	MI15	NPSH	CALL
1-1/2"	MI15NST	NST	CALL
2"	MI20	NPSH	CALL
2-1/2"	MI25	NPSH	CALL
2-1/2"	MI25NST	NST	CALL
3"	MI30	NPSH	CALL
4"	MI40	NPSH	CALL
6"	MI60	NPSH	CALL


Hydrant Wrenches (p.112)



5 Hole
FH1 CALL



Adjustable
AW1 CALL



H.D. Adjustable
HAW CALL

United Pacific Distributors Supply, Inc.

Main Office: (866) 913-0336 California: (626) 913-0336 Texas: (866) 276-5858
Maryland: (410) 859-0680 Ohio: (866) 859-0680 Georgia: (866) 859-0680

Or send your orders via email to sales@updusa.com

Freight is prepaid on hose, skirtboard, & sheet rubber orders of \$2,500 net. Coupling & hardware orders prepaid on \$1,000 net.